

SI-AT-22 Supported consumables parameters**v89 (metric)**

For detailed list of supported items, check the operating instructions of relevant consumables.

	AT qualified versions and sizes
Text	Preferred tool
Text	Optional tool
	AT qualification not yet available
	Version / Size not existing in portfolio

HST2 | Expansion Anchor**Legend:**

4	AT-22 & SI-AT-22
6	AT-22 & SI-AT-22

	M8	M10	M12	M16	M20	M24
HST2	4	4	4 & 6	6		
HST2-R	4	4	4 & 6	6		
HST2-BW	4	4	4 & 6			
HST2-R BW		4				

HST2 V3 | Expansion Anch**Legend:**

4	AT-22 & SI-AT-22
6	AT-22 & SI-AT-22

	M8	M10	M12	M16	M20	M24
HST2 V3	4	4 & 6	4&6	6	6	
HST2 V3 HDG	4	4 & 6	4&6	6	6	
HST2-R V3	4	4 & 6	4&6	6	6	

HST3 | Expansion Anchor**Legend:**

4	SIW 4AT-22 & SI-AT-22
6	SIW 6AT-22 & SI-AT-22

	M8	M10	M12	M16	M20	M24
HST3	4	4 & 6	4 & 6	4 & 6	6	6
HST3 DN		4 & 6	4 & 6			
HST3-R	4	4 & 6	4 & 6	4 & 6	6	6
HST3-R DN		4 & 6	4 & 6			
HST3-BW	4	4 & 6	4 & 6	4 & 6		
HST3-R BW	4	4 & 6	4 & 6	4 & 6		

v89 (metric)

HST4 | Expansion Anchor

Legend:

4 AT-22 & SI-AT-22

6 AT-22 & SI-AT-22

	M8	M10	M12	M16	M20	M24
HST4	4	4 & 6	4&6	6	6	
HST4-DN		4 & 6	4&6			
HST4 BW	4	4 & 6	4&6	6	6	
HST4-R	4	4 & 6	4&6	6	6	
HST4-R-DN		4 & 6	4&6			
HST4-R BW	4	4 & 6	4&6	6	6	

HSA | Expansion Anchor

Legend:

4 SIW 4AT-22 & SI-AT-22

6 SIW 6AT-22 & SI-AT-22

	M8	M10	M12	M16	M20	M24
HSA	4	4 & 6	4 & 6	4 & 6	6	
HSA-R	4	4 & 6	4 & 6	4 & 6	6	
HSA-R2	4	4 & 6	4 & 6	4 & 6		
HSA-BW	4	4 & 6	4 & 6	4 & 6		
HSA -LN		4	4	4		
HSA-R LN		4	4	4		

HSL4 | Expansion Anchor

Legend:

4 AT-22 & SI-AT-22

6 AT-22 & SI-AT-22

	M8	M10	M12	M16	M20	M24
HSL4	4	4 & 6	4 & 6	4 & 6	6	6
HSL4-G	4	4 & 6	4 & 6	4 & 6	6	6
HSL-4 Pax		4 & 6				

v89 (metric)

HBC | T-Bolts

Legend:	
4	SIW 4AT-22 & SI-AT-22
6	SIW 6AT-22 & SI-AT-22

	M8	M10	M12	M16	M20	M24
HBC 40/22			4	4		
HBC-N 40/22						
HBC 50/30			4	4	4	
HBC-N 50/30						
HBC-B		4	4			
HBC-T			4 & 6	4 & 6	6	
HBC-C		4	4 & 6	4 & 6	4 & 6	
HBC-C-E			4 & 6	4 & 6		
HBC-C-N			4			

HUS4 | Screw

Legend:	
4	SIW 4AT-22 & SI-AT-22
6	SIW 6AT-22 & SI-AT-22

	6	8	10	12	14	16
HUS4-C		6	6			
HUS4-H		6	6	6	6	
HUS4-HF		6	6	6	6	
HUS4-A						
HUS4-AF						
HUS4T-C		6	6			
HUS4T-H		6	6			
HUS4T-HF		6	6			
HUS4-CR		6	6			
HUS4-HR		6	6		6	
HUS4-MAX			6	6	6	

v89 (metric)

Metric Rods**Legend:**

4 Γ-22 & SI-AT-22

6 Γ-22 & SI-AT-22

Qualified Mortars:

→ HY-200 A/R V3, HY-170, RE-500 V3/V4, RE100, HVU-2, CT1, CT100

	M6	M8	M10	M12	M16	M20	M24	M27	M30	M33	M36	M39
HAS-U 5.8		4	4	4 & 6	6	6	6					
HAS-U 5.8 HDG		4	4	4 & 6	6	6	6					
HAS-U 8.8		4	4	4 & 6	6	6	6					
HAS-U 8.8 HDG		4	4	4 & 6	6	6	6					
HAS-U A4		4	4	4 & 6	6	6	6					
HAS 5.8 cut		4	4	4 & 6	6	6						
HAS 5.8 HDG cut		4	4	4 & 6	6	6						
HAS 8.8 cut		4	4	4 & 6	6	6						
HAS 8.8 HDG cut		4	4	4 & 6	6	6						
HAS A4 cut		4	4	4 & 6	6	6						
HAS 5.8 meter		4	4	4 & 6	6	6	6					
HAS 5.8 HDG meter												
HAS 8.8 meter		4	4	4 & 6	6	6	6					
HAS 8.8 HDG meter		4	4	4 & 6	6	6	6					
HAS A4 meter		4	4	4 & 6	6	6	6					

HIT-Z, HAS-D**Legend:**

4 Γ-22 & SI-AT-22

6 Γ-22 & SI-AT-22

Qualified Mortars:

→ HY-200 A/R V3

	M6	M8	M10	M12	M16	M20
HIT-Z		4	4	4 & 6	6	6
HIT-Z-R		4	4	4 & 6	6	6
HIT-Z-F					6	6
HIT-Z-D TP					6	
HIT-Z-R-D TP					6	
HAS-D				4 & 6	6	6

v89 (metric)

MT-TL | Twist-Lock channel nut

Legend:	
4	AT-22 & SI-AT-22
6	AT-22 & SI-AT-22

	M8	M10	M12	M16	M20	M24
MT-TL		4 & 6				
MT-TL OC		4 & 6				

MT-TFB OC | Thread forming bolt

Legend:	
4	AT-22 & SI-AT-22
6	AT-22 & SI-AT-22

	M8	M10	M12	M16	M20	M24
MT-TFB OC		4 & 6				

MT-THB OC | T-Head Bolt

Legend:	
4	AT-22 & SI-AT-22
6	AT-22 & SI-AT-22

	M8	M10	M12	M16	M20	M24
MT-THB OC			4 & 6			

MQN | Channel connector

Legend:	
4	AT-22 & SI-AT-22
6	AT-22 & SI-AT-22

	M8	M10	M12	M16	M20	M24
MQN-C		4				
MQN-C HDG plus		4				
MQN-CP		4				
MQN-B		4				
MQN-R		4				

MIQM | Wing nut

Legend:	
4	AT-22 & SI-AT-22
6	AT-22 & SI-AT-22

	M8	M10	M12	M16	M20	M24
MIQM		4	4			