

Mineral wool products / FS boards / Insulated sleeve/ Cavity Barrier

Product Safety Information Sheet

A safety data sheet is not required for this product. This Product Safety Information Sheet has been created on a voluntary basis

Issue date: 13/02/2025

Revision date: 13/02/2025

Supersedes: 12/09/2023

Version: 1.5

SECTION 1: Identification

1.1. GHS Product identifier

Product form	Article
Product name	Mineral wool products / FS boards / Insulated sleeve/ Cavity Barrier
Product code	BU Fire Protection Article

1.2. Other means of identification

Other means of identification	Mineral wool products: CP 777 CP 767 CFS-TTS MD P CFS-TTS MD C CFS-CO Mineral wool FS boards: CP 670 CP 673 CP 676 CFS-CT B CFS-CT HDB Insulated sleeve: CP 645 Cavity Barrier: CFS-VB E60 CFS-VB E120 CFS-NVB E120
-------------------------------	--

1.3. Recommended use of the chemical and restrictions on use

Use of the substance/mixture	Construction products
Recommended use	Building and construction work
Restrictions on use	Building and construction work

1.4. Supplier's details

Supplier Hilti Saudi Arabia for Construction Tools LLC King Fahd Street P.O. Box 15930 SA 21454 Jeddah Saudi Arabia T +966 2 213 8400, F +966 2 697 4696 sa.customerservice@hilti.com	Department issuing data specification sheet Hilti AG Feldkircherstraße 100 FL 9494 Schaan Liechtenstein T +423 234 2111 product.compliance-fire.protection@hilti.com
---	---

1.5. Emergency phone number

Emergency number	Emergency CONTACT (24-Hour-Number): GBK GmbH Global Regulatory Compliance +49 (0)6132-84463
------------------	---

SECTION 2: Hazard identification

2.1. Classification of the substance or mixture

Classification according to the United Nations GHS

Not classified

2.2. GHS Label elements, including precautionary statements

Labelling according to the United Nations GHS

No labelling applicable

Mineral wool products / FS boards / Insulated sleeve/ Cavity Barrier

Product Safety Information Sheet

A safety data sheet is not required for this product. This Product Safety Information Sheet has been created on a voluntary basis

2.3. Other hazards which do not result in classification

Other hazards not contributing to the classification

A Safety Data Sheet is not required due to the classification of these products as "articles" according to Regulation (EC) No. 1907/2006 of 18 December 2006 (EU) / 29CFR 1910.1200 (U.S.A.). Consequently, these products are exempted from CLP / OSHA Labeling and SDS requirements.

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	Classification according to the United Nations GHS
Man-made vitreous (silicate) fibres with random orientation with alkaline and alkali earth oxides (Na ₂ O+K ₂ O+CaO+MgO+BaO) content greater than 18% by weight and fulfilling one of the Nota Q conditions	-	≥ 60	Not classified
formaldehyde ...%	CAS-No.: 50-00-0	< 0.1	Acute toxicity (oral), Category 3, H301 Acute toxicity (dermal), Category 3, H311 Acute toxicity (inhal.), Category 3, H331 Acute toxicity (inhalation:dust,mist) Category 3, H331 Skin corrosion/irritation, Category 1B, H314 Skin sensitisation, Category 1, H317 Germ cell mutagenicity, Category 2, H341 Carcinogenicity, Category 1B, H350 Specific target organ toxicity – Single exposure, Category 3, Respiratory tract irritation, H335 Hazardous to the aquatic environment – Acute Hazard, Category 2, H401 Hazardous to the aquatic environment – Chronic Hazard, Category 3, H412

Full text of H-statements: see section 16

SECTION 4: First-aid measures

4.1. Description of necessary first-aid measures

First-aid measures general

Never give anything by mouth to an unconscious person.

First-aid measures after inhalation

Remove person to fresh air and keep comfortable for breathing. Allow the victim to rest.

Mineral wool products / FS boards / Insulated sleeve/ Cavity Barrier

Product Safety Information Sheet

A safety data sheet is not required for this product. This Product Safety Information Sheet has been created on a voluntary basis

First-aid measures after skin contact

Wash skin with plenty of water. If skin irritation occurs: Get medical advice/attention.

First-aid measures after eye contact

Rinse cautiously with water for several minutes. Obtain medical attention if pain, blinking or redness persists.

First-aid measures after ingestion

Rinse mouth out with water. Drink plenty of water.

4.2. Most important symptoms/effects, acute and delayed

Symptoms/effects

Not expected to present a significant hazard under anticipated conditions of normal use.

Potential adverse human health effects and symptoms

Based on available data, the classification criteria are not met.

4.3. Indication of immediate medical attention and special treatment needed, if necessary

Treat symptomatically.

SECTION 5: Fire-fighting measures

5.1. Suitable extinguishing media

Suitable extinguishing media

The product itself does not burn. Foam. Dry powder. Carbon dioxide. Water spray. Sand.

Unsuitable extinguishing media

Do not use a heavy water stream.

5.2. Specific hazards arising from the chemical

No additional information available

5.3. Special protective actions for fire-fighters

Firefighting instructions

Prevent fire fighting water from entering the environment.

Protection during firefighting

Do not enter fire area without proper protective equipment, including respiratory protection.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Protective equipment

Wear recommended personal protective equipment.

Emergency procedures

Evacuate unnecessary personnel.

6.1.2. For emergency responders

No additional information available

6.2. Environmental precautions

No additional information available

6.3. Methods and materials for containment and cleaning up

Methods for cleaning up

Minimise generation of dust.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling

Avoid contact with skin and eyes. Avoid dust formation. Do not breathe dust.

Hygiene measures

Handle in accordance with good industrial hygiene and safety procedures.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions

Keep container closed when not in use. Avoid creating or spreading dust. Store in a dry place.

Mineral wool products / FS boards / Insulated sleeve/ Cavity Barrier

Product Safety Information Sheet

A safety data sheet is not required for this product. This Product Safety Information Sheet has been created on a voluntary basis

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

No additional information available

8.2. Appropriate engineering controls

Other information

Do not eat, drink or smoke during use.

8.3. Individual protection measures, such as personal protective equipment (PPE)

Personal protective equipment:

Avoid all unnecessary exposure. Protective clothing. Gloves. Safety glasses.

Hand protection

Wear protective gloves.

Type	Material	Permeation	Thickness (mm)	Penetration	Standard
Reusable gloves					EN 388

Eye protection

Chemical goggles or safety glasses

Skin and body protection

Wear suitable protective clothing

Respiratory protection

In case of dust formation use respirator with filter: Dust production: dust mask with filter type P2

Personal protective equipment symbol(s)



8.4. Exposure limit values for the other components

No additional information available

SECTION 9: Physical and chemical properties

9.1. Basic physical and chemical properties

Physical state	Solid
Appearance	Fibrous
Colour	Various colours.
Odour	odourless.
Odour threshold	Not available
Melting point	> 1000 °C
Freezing point	Not available
Boiling point	Not available
Flammability	Not flammable, Non flammable.
Lower explosion limit	Not applicable
Upper explosion limit	Not applicable
Flash point	Not applicable
Auto-ignition temperature	Not applicable
Decomposition temperature	Not available
pH	Not available
pH solution	Not available
Viscosity, kinematic (calculated value) (40 °C)	Not applicable
Partition coefficient n-octanol/water (Log Kow)	Not available
Vapour pressure	Not available

Mineral wool products / FS boards / Insulated sleeve/ Cavity Barrier

Product Safety Information Sheet

A safety data sheet is not required for this product. This Product Safety Information Sheet has been created on a voluntary basis

Vapour pressure at 50°C	Not available
Density	Not available
Relative density	20 – 250 kg/m ³
Relative vapour density at 20°C	Not applicable
Solubility	Insoluble.
Particle size	Not available

9.2. Data relevant with regard to physical hazard classes (supplemental)

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

No additional information available

10.2. Chemical stability

Stable under normal conditions of use.

10.3. Possibility of hazardous reactions

Stable under normal conditions of use.

10.4. Conditions to avoid

No information available.

10.5. Incompatible materials

No information available.

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity (oral)	Not classified
Acute toxicity (dermal)	Not classified
Acute toxicity (inhalation)	Not classified

formaldehyde ...% (50-00-0)	
LD50 oral	600 mg/kg
LD50 dermal	270 mg/kg
LC50 Inhalation - Rat [ppm]	480 ppm

Skin corrosion/irritation	Not classified
Serious eye damage/irritation	Not classified
Respiratory or skin sensitization	Not classified
Germ cell mutagenicity	Not classified
Carcinogenicity	Not classified

formaldehyde ...% (50-00-0)	
IARC group	1 - Carcinogenic to humans
National Toxicology Program (NTP) Status	Known Human Carcinogens

Reproductive toxicity	Not classified
STOT-single exposure	Not classified

Mineral wool products / FS boards / Insulated sleeve/ Cavity Barrier

Product Safety Information Sheet

A safety data sheet is not required for this product. This Product Safety Information Sheet has been created on a voluntary basis

formaldehyde ...% (50-00-0)	
STOT-single exposure	May cause respiratory irritation.
STOT-repeated exposure	Not classified
Aspiration hazard	Not classified
Potential adverse human health effects and symptoms	Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general	The product is not considered harmful to aquatic organisms nor to cause long-term adverse effects in the environment.
Hazardous to the aquatic environment, short-term (acute)	Not classified
Hazardous to the aquatic environment, long-term (chronic)	Not classified

formaldehyde ...% (50-00-0)	
EC50 - Crustacea [1]	2 mg/l
NOEC chronic crustacea	1 mg/l

12.2. Persistence and degradability

Mineral wool products / FS boards / Insulated sleeve/ Cavity Barrier	
Persistence and degradability	Not established.
formaldehyde ...% (50-00-0)	
Persistence and degradability	Rapidly degradable
Man-made vitreous (silicate) fibres with random orientation with alkaline and alkali earth oxides (Na ₂ O+K ₂ O+CaO+MgO+BaO) content greater than 18% by weight and fulfilling one of the Nota Q conditions	
Persistence and degradability	Rapidly degradable

12.3. Bioaccumulative potential

Mineral wool products / FS boards / Insulated sleeve/ Cavity Barrier	
Bioaccumulative potential	Not established.

12.4. Mobility in soil

Mineral wool products / FS boards / Insulated sleeve/ Cavity Barrier	
Mobility in soil	No additional information available

12.5. Other adverse effects

Ozone	Not classified
Other adverse effects	No additional information available

SECTION 13: Disposal considerations

13.1. Disposal methods

Product/Packaging disposal recommendations	Dispose in a safe manner in accordance with local/national regulations.
--	---

Mineral wool products / FS boards / Insulated sleeve/ Cavity Barrier

Product Safety Information Sheet

A safety data sheet is not required for this product. This Product Safety Information Sheet has been created on a voluntary basis

SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / RID /

ADR	IMDG	IATA	RID
14.1. UN number or ID number			
Not applicable	Not applicable	Not applicable	Not applicable
14.2. UN proper shipping name			
Not applicable	Not applicable	Not applicable	Not applicable
14.3. Transport hazard class(es)			
Not applicable	Not applicable	Not applicable	Not applicable
14.4. Packing group			
Not applicable	Not applicable	Not applicable	Not applicable
14.5. Environmental hazards			
Not applicable	Not applicable	Not applicable	Not applicable
No supplementary information available			

14.6. Special precautions for user

Overland transport

Not applicable

Transport by sea

Not applicable

Air transport

Not applicable

Rail transport

Not applicable

14.7. Maritime transport in bulk according to IMO instruments

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations specific for the product in question

Regulatory reference

All components of this product are present and listed as Active on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory.

SECTION 16: Other information

A safety data sheet is not required for this product. This Product Safety Information Sheet has been created on a voluntary basis<ReplaceEmptyCellBy_NO_RELEVANT_DATA>

Issue date	2/13/2025
Revision date	2/13/2025
Supersedes	9/12/2023



Mineral wool products / FS boards / Insulated sleeve/ Cavity Barrier

Product Safety Information Sheet

A safety data sheet is not required for this product. This Product Safety Information Sheet has been created on a voluntary basis

Section	Changed item	Comments
		add product name: Cavity Barrier.

Other information

None.

Full text of H-statements:	
Acute Tox. 3 (Dermal)	Acute toxicity (dermal), Category 3
Acute Tox. 3 (Inhalation)	Acute toxicity (inhal.), Category 3
Acute Tox. 3 (Inhalation:dust,mist)	Acute toxicity (inhalation:dust,mist) Category 3
Acute Tox. 3 (Oral)	Acute toxicity (oral), Category 3
Aquatic Acute 2	Hazardous to the aquatic environment – Acute Hazard, Category 2
Aquatic Chronic 3	Hazardous to the aquatic environment – Chronic Hazard, Category 3
Carc. 1B	Carcinogenicity, Category 1B
Muta. 2	Germ cell mutagenicity, Category 2
Skin Corr. 1B	Skin corrosion/irritation, Category 1B
Skin Sens. 1	Skin sensitisation, Category 1
STOT SE 3	Specific target organ toxicity – Single exposure, Category 3, Respiratory tract irritation
H301	Toxic if swallowed
H311	Toxic in contact with skin
H314	Causes severe skin burns and eye damage
H317	May cause an allergic skin reaction
H331	Toxic if inhaled
H335	May cause respiratory irritation
H341	Suspected of causing genetic defects
H350	May cause cancer
H401	Toxic to aquatic life
H412	Harmful to aquatic life with long lasting effects

SDS_UN_Hilti

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.