

**Klübersynth GH 6-460 (H)**

Version 1.1	Revision Date: 21.11.2024	Date of last issue: 11.07.2024 Date of first issue: 11.07.2024	Print Date: 21.11.2024
----------------	------------------------------	---	---------------------------

**1. PRODUCT AND COMPANY IDENTIFICATION**

Product name : Klübersynth GH 6-460 (H)  
Article-No. : 012402

**Manufacturer or supplier's details**

Company name of supplier : Klüber Lubrication München GmbH & Co. KG  
Geisenhauenerstr. 7  
81379 München  
Deutschland  
Tel.: +49 (0) 89 7876 0  
Fax: +49 (0) 89 7876 333  
info@klueber.com

E-mail address of person responsible for the SDS : mcm@klueber.com

National contact :

Emergency telephone number : +44 1235 239671 NCEC

+49 89 7876 700

**Recommended use of the chemical and restrictions on use**

Recommended use : Lubricating oil  
Restrictions on use : Restricted to professional users.

**2. HAZARDS IDENTIFICATION****GHS Classification**

Short-term (acute) aquatic hazard : Category 3

Long-term (chronic) aquatic hazard : Category 3

**GHS label elements**

Hazard pictograms : None  
Signal word : None  
Hazard statements : H412 Harmful to aquatic life with long lasting effects.

**Klübersynth GH 6-460 (H)**

Version 1.1	Revision Date: 21.11.2024	Date of last issue: 11.07.2024 Date of first issue: 11.07.2024	Print Date: 21.11.2024
----------------	------------------------------	---	---------------------------

Precautionary statements : **Prevention:**  
P273 Avoid release to the environment.

**Other hazards which do not result in classification**

None known.

**3. COMPOSITION/INFORMATION ON INGREDIENTS**

Substance / Mixture : Mixture  
Chemical nature : polyalkylene glycol oil

**Components**

No hazardous ingredients

**4. FIRST AID MEASURES**

If inhaled : Remove person to fresh air. If signs/symptoms continue, get medical attention.  
Keep patient warm and at rest.  
If unconscious, place in recovery position and seek medical advice.  
Keep respiratory tract clear.  
If breathing is irregular or stopped, administer artificial respiration.

In case of skin contact : Remove contaminated clothing. If irritation develops, get medical attention.  
In case of contact, immediately flush skin with plenty of water.  
Wash clothing before reuse.  
Thoroughly clean shoes before reuse.

In case of eye contact : Rinse immediately with plenty of water, also under the eyelids, for at least 10 minutes.  
If eye irritation persists, consult a specialist.

If swallowed : Move the victim to fresh air.  
If unconscious, place in recovery position and seek medical advice.  
Keep respiratory tract clear.  
Do NOT induce vomiting.  
Rinse mouth with water.  
Never give anything by mouth to an unconscious person.

Most important symptoms and effects, both acute and delayed : None known.  
No symptoms known or expected.

**Klübersynth GH 6-460 (H)**

Version 1.1	Revision Date: 21.11.2024	Date of last issue: 11.07.2024 Date of first issue: 11.07.2024	Print Date: 21.11.2024
----------------	------------------------------	---	---------------------------

Notes to physician : Treat symptomatically.

**5. FIREFIGHTING MEASURES**

Suitable extinguishing media : Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

Unsuitable extinguishing media : High volume water jet

Hazardous combustion products : Carbon oxides  
Nitrogen oxides (NOx)

Specific extinguishing methods : Standard procedure for chemical fires.  
Collect contaminated fire extinguishing water separately. This must not be discharged into drains.

Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus.  
Use personal protective equipment.  
Exposure to decomposition products may be a hazard to health.

**6. ACCIDENTAL RELEASE MEASURES**

Personal precautions, protective equipment and emergency procedures : Evacuate personnel to safe areas.  
Use personal protective equipment.  
Ensure adequate ventilation.  
Refer to protective measures listed in sections 7 and 8.

Environmental precautions : Do not allow contact with soil, surface or ground water.  
Prevent further leakage or spillage if safe to do so.  
If the product contaminates rivers and lakes or drains inform respective authorities.

Methods and materials for containment and cleaning up : Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13).

**7. HANDLING AND STORAGE**

Advice on safe handling : Avoid inhalation of vapour or mist.  
Avoid contact with skin and eyes.  
For personal protection see section 8.  
Smoking, eating and drinking should be prohibited in the application area.

**Klübersynth GH 6-460 (H)**

Version 1.1	Revision Date: 21.11.2024	Date of last issue: 11.07.2024 Date of first issue: 11.07.2024	Print Date: 21.11.2024
----------------	------------------------------	---	---------------------------

Wash hands and face before breaks and immediately after handling the product.  
Do not ingest.  
Do not repack.  
Do not re-use empty containers.  
These safety instructions also apply to empty packaging which may still contain product residues.  
Keep container closed when not in use.

Conditions for safe storage : Store in original container.  
Keep container closed when not in use.  
Keep in a dry, cool and well-ventilated place.  
Containers which are opened must be carefully resealed and kept upright to prevent leakage.  
Store in accordance with the particular national regulations.  
Keep in properly labelled containers.

---

**8. EXPOSURE CONTROLS/PERSONAL PROTECTION**

**Components with workplace control parameters**

Contains no substances with occupational exposure limit values.

**Engineering measures** : none

**Personal protective equipment**

Respiratory protection : Not required; except in case of aerosol formation.

Filter type : Filter type A-P

**Hand protection**

Material : Nitrile rubber

Break through time : > 10 min

Protective index : Class 1

Remarks : For prolonged or repeated contact use protective gloves. The break through time depends amongst other things on the material, the thickness and the type of glove and therefore has to be measured for each case.

Eye protection : Safety glasses with side-shields

Skin and body protection : Choose body protection in relation to its type, to the concentration and amount of dangerous substances, and to the specific work-place.

Protective measures : The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

**Klübersynth GH 6-460 (H)**

Version 1.1	Revision Date: 21.11.2024	Date of last issue: 11.07.2024 Date of first issue: 11.07.2024	Print Date: 21.11.2024
----------------	------------------------------	---	---------------------------

Hygiene measures : Wash face, hands and any exposed skin thoroughly after handling.

**9. PHYSICAL AND CHEMICAL PROPERTIES**

Appearance : liquid

Colour : yellow

Odour : characteristic

Odour Threshold : No data available

pH : 7.5 (20 °C)  
Concentration: 100 %

Melting point/range : No data available

Boiling point/boiling range : No data available

Flash point : > 250 °C  
Method: open cup

Evaporation rate : No data available

Flammability (solid, gas) : Not applicable

Self-ignition : No data available

Upper explosion limit / Upper  
flammability limit : No data available

Lower explosion limit / Lower  
flammability limit : No data available

Vapour pressure : < 0.001 hPa (20 °C)

Relative vapour density : No data available

Relative density : 1.07 (20 °C)  
Reference substance: Water  
The value is calculated

**Klübersynth GH 6-460 (H)**

Version 1.1	Revision Date: 21.11.2024	Date of last issue: 11.07.2024 Date of first issue: 11.07.2024	Print Date: 21.11.2024
----------------	------------------------------	---	---------------------------

Density	:	1.07 g/cm3 (20 °C)
Bulk density	:	No data available
Solubility(ies)		
Water solubility	:	soluble
Solubility in other solvents	:	No data available
Partition coefficient: n-octanol/water	:	No data available
Auto-ignition temperature	:	No data available
Decomposition temperature	:	No data available
Viscosity		
Viscosity, dynamic	:	No data available
Viscosity, kinematic	:	460 mm2/s ( 40 °C)
Explosive properties	:	Not explosive
Oxidizing properties	:	No data available
Sublimation point	:	No data available

---

**10. STABILITY AND REACTIVITY**

Reactivity	:	No hazards to be specially mentioned.
Chemical stability	:	Stable under normal conditions.
Possibility of hazardous reactions	:	No dangerous reaction known under conditions of normal use.
Conditions to avoid	:	No conditions to be specially mentioned.
Incompatible materials	:	No materials to be especially mentioned.
Hazardous decomposition products	:	No decomposition if stored and applied as directed.

---

**11. TOXICOLOGICAL INFORMATION**

**Acute toxicity**

**Product:**

**Klübersynth GH 6-460 (H)**

Version 1.1	Revision Date: 21.11.2024	Date of last issue: 11.07.2024 Date of first issue: 11.07.2024	Print Date: 21.11.2024
----------------	------------------------------	---	---------------------------

Acute oral toxicity : Remarks: This information is not available.  
Acute inhalation toxicity : Remarks: This information is not available.  
Acute dermal toxicity : Remarks: This information is not available.

**Skin corrosion/irritation**

**Product:**  
Remarks : This information is not available.

**Serious eye damage/eye irritation**

**Product:**  
Remarks : This information is not available.

**Respiratory or skin sensitisation**

**Product:**  
Remarks : This information is not available.

**Germ cell mutagenicity**

**Product:**  
Genotoxicity in vitro : Remarks: No data available  
Genotoxicity in vivo : Remarks: No data available

**Carcinogenicity**

**Product:**  
Remarks : No data available

**Reproductive toxicity**

**Product:**  
Effects on fertility : Remarks: No data available  
Effects on foetal development : Remarks: No data available

**STOT - single exposure**

**Product:**  
Remarks : No data available

**Klübersynth GH 6-460 (H)**

Version 1.1	Revision Date: 21.11.2024	Date of last issue: 11.07.2024 Date of first issue: 11.07.2024	Print Date: 21.11.2024
----------------	------------------------------	---	---------------------------

**STOT - repeated exposure**

**Product:**

Remarks : No data available

**Repeated dose toxicity**

**Product:**

Remarks : This information is not available.

**Aspiration toxicity**

**Product:**

This information is not available.

**Further information**

**Product:**

Remarks : Information given is based on data on the components and the toxicology of similar products.

---

**12. ECOLOGICAL INFORMATION**

**Ecotoxicity**

**Product:**

Toxicity to fish : Remarks: Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

Toxicity to daphnia and other aquatic invertebrates : Remarks: No data available

Toxicity to algae/aquatic plants : Remarks: No data available

Toxicity to microorganisms : Remarks: No data available

**Persistence and degradability**

**Product:**

Biodegradability : Remarks: No data available

Physico-chemical removability : Remarks: No data available

**Klübersynth GH 6-460 (H)**

Version 1.1	Revision Date: 21.11.2024	Date of last issue: 11.07.2024 Date of first issue: 11.07.2024	Print Date: 21.11.2024
----------------	------------------------------	---	---------------------------

**Bioaccumulative potential**

**Product:**

Bioaccumulation : Remarks: No data available

**Mobility in soil**

**Product:**

Mobility : Remarks: No data available

Distribution among environmental compartments : Remarks: No data available

**Other adverse effects**

**Product:**

Additional ecological information : Harmful to aquatic life with long lasting effects.

---

**13. DISPOSAL CONSIDERATIONS**

**Disposal methods**

Waste from residues : The product should not be allowed to enter drains, water courses or the soil.  
Do not dispose of with domestic refuse.  
Dispose of as hazardous waste in compliance with local and national regulations.

Contaminated packaging : Packaging that is not properly emptied must be disposed of as the unused product.  
Dispose of waste product or used containers according to local regulations.

---

**14. TRANSPORT INFORMATION**

**International Regulations**

**UNRTDG**

Not regulated as a dangerous good

**IATA-DGR**

Not regulated as a dangerous good

**IMDG-Code**

Not regulated as a dangerous good

**Klübersynth GH 6-460 (H)**

Version 1.1	Revision Date: 21.11.2024	Date of last issue: 11.07.2024 Date of first issue: 11.07.2024	Print Date: 21.11.2024
----------------	------------------------------	---	---------------------------

**Transport in bulk according to IMO instruments**

Not applicable for product as supplied.

**Special precautions for user**

Not applicable

---

**15. REGULATORY INFORMATION****Safety, health and environmental regulations/legislation specific for the substance or mixture**

Montreal Protocol	:	Not applicable
Rotterdam Convention (Prior Informed Consent)	:	Not applicable
Stockholm Convention (Persistent Organic Pollutants)	:	Not applicable

---

**16. OTHER INFORMATION****Full text of other abbreviations**

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the

**Klübersynth GH 6-460 (H)**

Version 1.1	Revision Date: 21.11.2024	Date of last issue: 11.07.2024 Date of first issue: 11.07.2024	Print Date: 21.11.2024
----------------	------------------------------	---	---------------------------

Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

|| Relevant changes compared to the last edition are highlighted at the left margin. This version replaces all previous editions.

This safety data sheet applies only to products as originally packed and labelled. The information contained therein may not be reproduced or modified without our express written permission. Any forwarding of this document is only permitted to the extent required by law. Any further, in particular public, dissemination of the safety data sheet (e.g. as a document for download from the Internet) is not permitted without our express written consent. We provide our customers with amended safety data sheets as prescribed by law. The customer is responsible for passing on safety data sheets and any amendments contained therein to its own customers, employees and other users of the product. We provide no guarantee that safety data sheets received by users from third parties are up-to-date. All information and instructions in this safety data sheet have been compiled to the best of our knowledge and are based on the information available to us on the day of publication. The information provided is intended to describe the product in relation to the required safety measures; it is neither an assurance of characteristics nor a guarantee of the product's suitability for particular applications and does not justify any contractual legal relationship. The existence of a safety data sheet for a particular jurisdiction does not necessarily mean that import or use within that jurisdiction is legally permitted. If you have any questions, please contact your responsible sales contact or authorized trading partner.